



Article Description Cylindrical yellow protection guard with 4 windows Ø 40x20 mm

It does not alter the IP protection degree of the associated device.

Open protection guard				
	Article	Descriptio		
	VE GP22F5A	Rectangu yellow pro 66x38 mr With 4 sc thickness and 3.5 m		

Description Rectangular open yellow protection guard 66x38 mm, 35 mm high With 4 screws (for panel thicknesses between 1 and 3.5 mm).

Cylindrical protection guard



VE GP22B5A

Description Cylindrical yellow protection guard Ø 43x27 mm

Not applicable on emergency buttons of the E2 1PE••••• series It does not alter the IP protection degree of the associated device.


Article

Closing cap		Packs of 10 pcs.
	Technical data: Body and ring mate Protection degree: Tightening torque:	IP67 and IP69K
a summer of	Article	Description
	E2 1TA1A110	Black closing cap for Ø 22 mm holes

Sockets with IP54 cover



Description Lockable guard complete with 4 screws (for panel thicknesses between 1 and 3.5 mm)



	Article	Design	Description
0	VE PE1E1AA1		Europe Schuko + Italy IEC 60884-1 with child protection 16 A 250 Vac
	VE PE1E1BA1		USA UL498/NEMA5-15 CSA22.2 no.4215 A 125 Vac
10	VE PE1E1CA1	(°°)	France CEE 7/V IEC 60884-1 NFC 61314 with child protec- tion 16 A 250 Vac
Sockets with 4 screws for fixing	VE PE1E1DA1		United Kingdom BS1363 with child protection 13 A 250 Vac
	VE PE1E1EA1		Switzerland IEC 60884-1 SEV 1011 10 A 250 Vac
	VE PE1E1FA1		Australia / China AS/NZS 3112 15 A 250 Vac


Station holder



 Article
 Description


 VE SF12AD1003A
 Station holder for EL AC***** housing with low base








Internal socket cover




Article	Description
VE GG2BA5A	Yellow socket cover
	vith 2 screws for fixing nside control station.

Protective cover



Article	Description		
VE GG2CA5A	Yellow cover		
VE GG2CB5A	Yellow cover (IP65)		
VE GG2CA1A	Black cover (on request)		
Product includes hinge and fixing screws, for EL AC••••• control stations only.			

All values in the drawings are in mm



Adhesive magnetic bases

Adhesive magnetic base made of magnetic plastoferrite for application on the bottom of EL AC••••, EL AN••••, and EL AD control stations. Allows control stations to be attached to metallic surfaces.

Article	Description
VE BM2B56X70	56x70 mm for EL AN21••• housing
VE BM2B87X70	87x70 mm for EL AN22••• housing
VE BM2B120X70	120x70 mm for EL AN23••• housing
VE BM2B153X70	153x70 mm for EL AN24••• housing
VE BM2B230X70	230x70 mm for EL AC27••• housing and EL AD •••••

-

Body colour and marking	Actuator colour	Push-pull	Rotary release	Windowed push-pull	Windowed rotary release	Key release Key coding PY333
yellow	red	E2 1PEPZ4531	E2 1PERZ4531	E2 1PEPF4531	E2 1PERF4531	E2 1PEBZ4531
yellow with green indication	red	E2 1PEPZ4731	E2 1PERZ4731	E2 1PEPF4731	E2 1PERF4731	E2 1PEBZ4731
yellow	black	E2 1PEPZ4511	E2 1PERZ4511	/	/	E2 1PEBZ4511

Selector switches



Key selector switches



Luminous discs with steady light

Colour and engraving	Article	Description
0	VE DL1A2A00	White luminous disc, Ø 60 mm, 24 Vac/dc, without engraving, 5 LUX at 1m.
\bigcirc	VE DL1A5A00	Yellow luminous disc, Ø 60 mm, 24 Vac/dc, without engraving
	VE DL1A5A13	Yellow luminous disc, Ø 60 mm, 24 Vac/dc, with engraving:

Luminous discs with blinking light

		00
Colour and engraving	Article	Description
0	VE DL1A2L00	White luminous disc, blinking (0.5s on, 0.5s off), Ø 60 mm, 24 Vac/dc, without engraving, 5 LUX at 1 m.
\bigcirc	VE DL1A5L00	Yellow luminous disc, flashing (0.5s on, 0.5s off), Ø 60 mm, 24 Vac/dc, without engraving
	VE DL1A5L13	Yellow luminous disc, flashing (0.5s on, 0.5s off), Ø 60 mm, 24 Vac/dc, with engraving:



Control station accessories

Double buttons



Colour and engraving actuator		Upper button flush Central cap, flush Lower button flush	
detailor		Function	Black bezel
0	"→" black button	DOWN	
	white cap, illumi- nated		E2 1PDRL1AABS
	" € " white button	UP	
	" ↑ " white button	UP	
-	white cap, illumi- nated		E2 1PDRL1AABN
U	" ↓ " black button	DOWN	
	yellow button	ALARM	
	white cap, illumi- nated		E2 1PDRL1AADJ
$\mathbf{\overline{\mathbf{e}}}$	t blue button	ENABLE	
٩Ų́٢	ِجُ۔ black button	LIGHT	
	white cap, illumi- nated		E2 1PDRL1AABR
	yellow button	ALARM	
¢.	ِجُ۔ black button	LIGHT	
	white cap, illumi- nated		E2 1PDRL1AADL
\mathbf{e}	t blue button	ENABLE	

Actuator colour and engraving		Upper button flush Central button projecting Lower button flush	
		Function	Black bezel
ΨĎς	ِحُّ۔ black button	LIGHT	
	yellow button	ALARM	E2 1PTRS1AADK
	t blue button	ENABLE	
6	" → " black button	DOWN	
	yellow button	ALARM	E2 1PTRS1AABK
	" € " white button	UP	

Single buttons and mushroom buttons






Actuator colour	Function	Single button flush	Mushroom button Ø 36 mm flush
and engraving		Black bezel	Black bezel
white	UP	E2 1PU2R221L7	/
black	DOWN	E2 1PU2R121L8	/
black	LIGHT	E2 1PU2R121L16	E2 1PU2F141L16
yellow	LIGHT	E2 1PU2R521L16	E2 1PU2F541L16
yellow	ALARM	E2 1PU2R521L14	E2 1PU2F541L14
blue	ENABLE	E2 1PU2R621L170	/
blue	ENABLE	E2 1PU2R621L1/0	/

Quadruple buttons

Triple buttons



10

High luminosity monolithic indicator lights

Packs of 10 pcs.



Colour	Operating voltage				
Coloui	12 30 Vac/dc	120 Vac	230 Vac		
white	E6 1IL1A2110	E6 11L3A2110	E6 1IL4A2110		
red	E6 1IL1A3110	E6 11L3A3110	E6 1IL4A3110		
green	E6 1IL1A4110	E6 11L3A4110	E6 1IL4A4110		
yellow	E6 1IL1A5110	E6 11L3A5110	E6 1IL4A5110		
blue	E6 1IL1A6110	E6 11L3A6110	E6 1IL4A6110		
orange	E6 1IL1A8110	E6 11L3A8110	E6 1IL4A8110		
blue					

		A PRIMICE	10 JULI 4
Sound type	Operating voltage	Perforated lens	Perforation-free lens
Continu- ous	12 Vac/dc	E6 1IS5A1CV1B	E6 1IS5B1CV1B
-₽	24 Vac/dc	E6 1IS6A1CV1B	E6 1IS6B1CV1B
Pulsing	12 Vac/dc	E6 1IS5A1PV1B	E6 1IS5B1PV1B
	24 Vac/dc	E6 1IS6A1PV1B	E6 1IS6B1PV1B
Minimum level of sound intensity: 24 Vac/dc versions: 95 dB at 10cm (perforated lens) 80 dB at 10cm (perforation-free lens) 12 Vac/dc versions: 90 dB at 10cm (perforated lens) 75 dB at 10cm (perforation-free lens)			

Buzzers

RJ45 Sockets



	black bezel		
Integrated RJ45 socket	E2 1RJ451AAK	/	
Output with PVC cable (length 1 m) and RJ45 male connector	/	E2 1RJ451AN1	
Output with PVC cable (length 2.5 m) and RJ45 male connector	/	E21RJ451AN2.5	

For ordering a USB 3.0 socket replace C with A in the respective article code. Example: E2 1USB9CAK → E2 1USB1AAK

USB sockets

Rear connection	Front connection A-type USB 2.0 integrated socket black bezel		
A-type USB integrated socket	E2 1USB1CAK	/	
Output with PVC cable, length 1.8 m and A-type USB male connector	/	E2 1USB1CN1.8	
Output with PVC cable, length 3 m and A-type USB male connector	/	E2 1USB1CN3	
Output with PVC cable, length 5 m and A-type USB male connector (available only with USB 2.0 socket)	/	E2 1USB1CN5	

Adapter for DIN rail				Packs of 10 pcs .
	Article	Description	<u> </u>	
	VE AD3PF9A0	Support with Ø22 hole for fixing on DIN rail of the signalling and control devices of the EROUND line		54.5
Patent pending	Not suitable for joysticks an	d quadruple buttons		



All values in the drawings are in mm



Clamping screw connection

E2 CP01G2V1

E2 CP10G2V1

E2 CP01K2V1

Single contact blocks



General data

Protection degree: Ambient temperature: Mechanical endurance: Max. actuation frequency: Material of the contacts: Contact type:

E2 CP10L2V1	E2 CP10L2M1
IP20 acc. to IEC 60529 -40°C +80°C 20 million operating cycles/h 3600 operating cycles/h Silver contacts "V-shape" self-cleaning c with quadruple contact p	nour Rated imp (U _{imp}): ontacts Pollution

min 1 x 0.5 mm² (1 x AWG 20)

max 2 x 2.5 mm² (2 x AWG 14)

0.6 ... 0.8 Nm

8 mm

Article

Electrical data

PUSH-IN spring-operated connection

E2 CP01G2M1

E2 CP10G2M1

E2 CP01K2M1

Thermal current (I _{th}):	10 A
Rated insulation voltage (U):	500 Vac/dc
Protection against short circuits:	type gG/gL fuse 10 A 500 V
Rated impulse withstand voltage	
(U _{imp}):	8 kV
Pollution degree:	3

Slow action 1NC
delayed

Slow action 1NO early make

Slow action 1NC →

Slow action 1NO

Contacts

Utilization category

Alternating current: AC15 (50÷60 Hz)						
U _e (V)	24	48	120	250	400	
	6	6	6	6	3	
Ďirect current: DC13						
U_ (V)	24	48	125	250		
I (A)	2.5	1.3	0.6	0.3		

Tightening torque: Cable stripping length (x):

Clamping screw connection Cable cross section:

PUSH-IN spring-operated connection

Cable cross section (flexible conductors, with or without wire-end sleeve): min. 1 x 0.25 mm² (1 x AWG 24) max. 2 x 1.5 mm² (2 x AWG 16) min. 8 mm, max. 10 mm

Cable stripping length (x):

Double contact blocks



Packs of **5 pcs**.

Packs of 10 pcs.

Article	Contacts
E2 CP11G2V1	Slow action 1NO+1NC \ominus
E2 CP20G2V1	Slow action 2NO
E2 CP02G2V1	Slow action 2NC \ominus

General data

Protection degree: Ambient temperature: Mechanical endurance: Max. actuation frequency: Material of the contacts: Contact type:

Cable cross section:

Screw tightening torque: Cable stripping length (x):



0.6 ... 0.8 Nm

7 mm

Silver contacts

IP20 acc. to IEC 60529 -40°C ... +80°C

20 million operating cycles

3600 operating cycles/hour

with quadruple contact point

"V-shape" self-cleaning contacts

min 1 x 0.34 mm² (1 x AWG 22) max. 2 x 1.5 mm² (2 x AWG 16)

Electrical data

250 Vac/dc

3

10 A

type gG/gL fuse 10 A 500 V 4 kV

Utilization category

Alternating current: AC15 (50÷60 Hz)						
U_ (V)	24	48	120	250		
(A) آ	6	6	6	6		
Ďirect current: DC13						
U_ (V)	24	48	125	250		
(A) آ	2.5	1.3	0.6	0.3		

Packs of 5 pcs.

High luminosity LED unit



		Clamp	ing screw conn	ection	PUSH-IN spring-operated connection					
LED	Available	Operating voltage								
colour	device colour	12 30 Vac/dc	120 Vac	230 Vac	12 30 Vac/dc	120 Vac	230 Vac			
white	white / yellow	E2 LP1A2V1	E2 LP3A2V1	E2 LP4A2V1	E2 LP1A2M1	E2 LP3A2M1	E2 LP4A2M1			
red	red	E2 LP1A3V1	E2 LP3A3V1	E2 LP4A3V1	E2 LP1A3M1	E2 LP3A3M1	E2 LP4A3M1			
green	green	E2 LP1A4V1	E2 LP3A4V1	E2 LP4A4V1	E2 LP1A4M1	E2 LP3A4M1	E2 LP4A4M1			
blue	blue	E2 LP1A6V1	E2 LP3A6V1	E2 LP4A6V1	E2 LP1A6M1	E2 LP3A6M1	E2 LP4A6M1			
orange	orange	E2 LP1A8V1	E2 LP3A8V1	E2 LP4A8V1	E2 LP1A8M1	E2 LP3A8M1	E2 LP4A8M1			

General data

Protection degree: Ambient temperature: Endurance:

IP20 acc. to IEC 60529 -25°C ... +70°C 100,000 hours (at rated voltage and +25 °C ambient temperature)

min 1 x 0.5 mm² (1 x AWG 20) max 2 x 2.5 mm² (2 x AWG 14)

0.6 ... 0.8 Nm

8 mm

Electrical data

Blinking frequency:

Operating voltages and currents:

12 ... 30 Vac/dc; 5 ... 20 mA 102 ... 138 Vac; 20 mA max. 195 ... 264 Vac; 20 mA max. 1 Hz

Clamping screw connection

Cable cross section:

Tightening torque: Cable stripping length (x):

PUSH-IN spring-operated connection

Cable cross section (flexible conductors, with or without wire-end sleeve): min. 1 x 0.25 mm² (1 x AWG 24)

Cable stripping length (x):

max. 2 x 1.5 mm² (1 x AWG 16) min. 8 mm, max. 10 mm



Article E2 CP01S2V1

Single self-monitored contact blocks

Packs of 5 pcs.



available during machine operation.

General data

Protection degree: Ambient temperature: Mechanical endurance: Max. actuation frequency: Material of the contacts: Contact type:

Cable cross section:

Screw tightening torque: Cable stripping length (x):

IP20 acc. to IEC 60529 -40°C ... +80°C 20 million operating cycles 3600 operating cycles/hour Silver contacts "V-shape" self-cleaning contacts with quadruple contact point min 1 x 0.34 mm² (1 x AWG 22) max. 2 x 1.5 mm² (2 x AWG 16) 0.6 ... 0.8 Nm 7 mm



Electrical data

Slow action, self-monitored 1NC \ominus

Contacts


The operating principle of the self-monitoring contact blocks ensures that their associated control devices are free from faults and malfunctions caused by contacts separating, and that the safety function remains permanently

Thermal current (I,,):	10 A
Rated insulation voltage (U):	250 Vac/dc
Protection against short circuits:	type gG/gL fuse 10 A 500 V
Rated impulse withstand voltage	
(U _{imp}):	4 kV
Pollution degree:	3

Utilization category

Alternating current: AC15 (50÷60 Hz)								
U_ (V)	24	48	120	250				
(A) آ	6	6	6	6				
Ďirect current: DC13								
U_ (V)	24	48	125	250				
ا _e (̈́A)	2.5	1.3	0.6	0.3				

Mounting adapter



		Packs of 10 pcs.			
Article	Description				
E2 1BAC11	3-slot mounting adapter for E2 CP contact blocks and E2 LP LED units				
Not combinable with E2 •PQ•••••• quadruple buttons and E2 •MA••••• joysticks.					



Article	Description					
E2 1BAC21	1BAC21 4-slot mounting adapter for E2 CP contact blocks					
Compatible only with selectors E2 •SE•••••••, key selector switches E2 •SC•••••••, buttons E2 •PU••••••, double buttons E2 •PD••••••, emergency stop buttons E2 •PE••••••, configured in the appropriate versions for 4-slot adapter. Compatible with E2 •PQ••••••• quadruple buttons and E2 •MA•••••• joystick						

Fixing ring

	Article	Description
	VE GF121A	Technopolymer fixing ring
\mathbf{Q}		
	Article	Description
	VE GF720A	Metal fixing ring

Fixing key



Article	Description
VE CH121A1	Technopolymer fixing key for VE GF + + + + fixing rings

Changeover switches for EL control stations

F



					Con	tacts				
Article	Positions	1-2	3-4	5-6	7-8	9-10	11-12	13-14	15-16	L (mm)
EH B2A11B-P01	\sim	NC	NO	-	-	-	-	-	-	32
EH B2A22B-P01	\sim	NC	NO	NC	NO	-	-	-	-	41.5
EH B2A24B-P01	\sim	NO	NO	NC	NC	NC	NC	-	-	51
EH B2A33B-P01	\sim	NC	NO	NC	NO	NC	NO	-	-	51
EH B2A35B-P01	\checkmark	NO	NC	NO	NC	NO	NC	NC	NC	60.5

ATTENTION: only available pre-assembled on control stations

General data

Protection degree acc. to IEC 60529:

Ambient temperature: Mechanical endurance:

 Material of the contacts:
 Silver of Silver of Tightening torque of the terminal screws:1.2 Nm

 Thermal current (I_{th}):
 16 A


 Rated insulation voltage (U_i):
 660 Vac

 Rated impulse withstand voltage (U_{imp}):
 4 kV

 Cross-section of stranded wire:
 min. 1 >

IP67 only if installed on appropriate EL series cover. IP20 at the terminals -20°C ... +50°C 500,000 operating cycles at 120 operating cycles/hour Silver contacts

16 A 660 Vac 4 kV min. 1 x 0.5 mm² max. 2 x 2.5 mm²



Rated operating current le: alternating current (50/60 Hz)									
Vac	AC-21A	AC	23A	AC-3					
		1PH	3PH	1PH	3PH				
110-120	16 A	0.5 kW	/	0.4 kW	/				
220-240	16 A	0.9 kW	2.6 kW	0.75 kW	2.2 kW				
380-400	16 A	1.5 kW	7.5 kW	1.3 kW	5.5 kW				

All values in the drawings are in mm

→ The 2D and 3D files are available at www.pizzato.com



Packs of 20 pcs.

General requirements


All electrical components and devices of the EROUND series that are to be installed inside switching cabinets or enclosures (e.g. E2 CP, E2 CF, E2 LP, E2 LF), are not provided with suitable protections against: water, high quantities of dust, condensation, humidity, steam, corrosive agents, explosive gases, flammable gases or other polluting agents. The protection degree of switching cabinets or enclosures shall ensure the necessary protection to the electrical components of the EROUND series inside them, depending on the application area.

Reference dowel

The mounting reference dowel on the external diameter of all EROUND line devices enables perfect device alignment and mounting on the panel, while avoiding rotations.

In case of use on holes without reference notches, simply remove the dowel with a slight leverage effect using a screwdriver, making sure that the seal gasket does not get damaged.


The removal of the reference dowel, is not advisable for the selectors (series E2 •SE, E2 •SL, E2 •SC) and emergency buttons (series E2 •PE) with rotary release, as these devices are subject to rotary-type actuation.



Connection to mounting adapter


After its installation on the panel using the special ring, the control device can be fixed to the mounting adapter by turning the locking lever. The lever reports the free position (lock open) and locked position (lock closed) indications.

The locking lever rotation can be made smoother by using a flat-head screwdriver.



Seal gasket

Thanks to its design, the seal gasket ensures a pre-fixing on the panel. This allows to mount the ring without having to hold the device in position.




Mounting of contact blocks and LED units

Contact blocks and LED units are provided with two snap-in mounting flaps that ensure a stable fixing between them and the mounting adapter (in the panel mounting version), or between them and the base of the housing (in the base mounting version). The panel contact blocks can be connected to each other, up to three, in observance of the limits specified for each actuator in the respective chapter.

Contact blocks and LED units can be quickly disassembled by using a flat-head screwdriver to leverage on the connection flaps.





Release of the contact block from the base


Release of the contact block from another unit

Panel fixing

The control and signalling devices have to be fixed on the rear of the panel with a fixing ring. This has to be tightened with the special fixing key which is supplied as an accessory.

The tightening torque for a correct fixing must be between 2.0 and 2.5 Nm.

Once the fixing ring has been tightened, the mounting adapter and then the contact blocks or LED units can be mounted on the panel.






Lenses for E2 indicator lights


The E2 indicator lights are provided with interchangeable lenses in different colours. The lenses can be removed and mounted by simply turning them clockwise and anticlockwise respectively, without using tools.

For a correct colour rendering, it is necessary to use the correct combination between colour of the indicator light lens and colour of the LED unit applied to it.



Lenses for buttons and illuminated buttons

The buttons and the illuminated buttons feature replaceable lenses. To remove the lenses, leverage them with a pointed object near the reference notch on the external diameter of the lens itself.



Using the devices

- All devices of the EROUND series are hand operated.
- Do not apply excessive force to the device once it has reached the end of its actuation travel.
- Do not exceed the maximum actuation travel.
- Before installation, make sure the device is not damaged in any part.
- Do not disassemble or try to repair the device, in case of defect or fault replace the entire device.
- In case the device is deformed or damaged it must be entirely replaced. Correct operation cannot be guaranteed when the device is deformed or damaged.
- Always attach the device operating instructions (if present) to the manual of the machine in which the device is installed.
- These operating instructions must be kept available for consultation at any time and for the whole period of use of the device.

Shock and vibrations

Avoid collisions with the devices. Excessive shock and vibrations may affect correct operation of the device

Wiring and installation

- Installation must be carried out by qualified staff only.
- Observe minimum distances between devices.
- Observe the tightening torques.
- Keep the electrical load below the value specified by the utilization category.
- Disconnect the power before to work on the contacts, also during the wiring.
- Do not paint or varnish the devices.
- Devices can only be installed on perforated surfaces with a thickness of between 1 mm and 6 mm that comply with the IEC 60947-5-1 standard.
- The protection degree and the correct operation are only guaranteed if the product is installed on a level and smooth surface and if the diameter of the holes is compliant with the IEC 60947-5-1 standard.
- After and during the installation do not pull the electrical cables connected to the contact blocks. If excessive tension is applied to the electrical cables, the contact blocks could detach from the actuator.
- During the coupling and uncoupling of the contact blocks from the mounting adapter or from the base, do not deform or put excessive stress on the coupling flaps. A possible deformation of the flaps could cause the detachment of the contact blocks from their mounting adapter.
- The housings in the EL AC, EL AN, EL AD series are fitted with knock-out holes for the passage of electrical cables. Open these holes using a suitable tool to avoid damaging the housing. Refrain from using housings damaged or cracked as a result of erroneous manoeuvres performed when opening the knock-out holes. After opening the hole, remove any plastic residues and insert a cable gland (or similar device) into the hole with a degree of protection equal or superior to that of the housing.
- After installation and before commissioning of the machine, verify:
 the correct operation of the device;
- the correct operation of the device,
- the correct and full locking of the E2 1BAC•• mounting adapter to the device;
- the correct coupling of the contact blocks.
- Periodically check for correct device operation.
- Do not deform or modify the device for any reason.
- Before installation, make sure the device is not damaged in any part.
- Refrain from opening, disassembling or attempting to repair the device and replace it immediately if it appears to be damaged.
- Should the installer be unable to fully understand the utilization requirements, the product must not be installed and the necessary assistance may be requested.

Do not use in following environments:

- Environments where dust and dirt can cover the device and by sedimentation stop its correct working.
- Environment where sudden temperature changes cause condensation.
- Environments where coatings of ice may form on the device.
- Environments where the application causes knocks or vibrations that could damage the device.
- Environment with presence of explosive or flammable gas or dust.
- In environments containing strongly aggressive chemicals, where the products used coming into contact with the device may impair its physical or functional integrity.

Limits of use

- Use the devices following the instructions, complying with their operation limits and the standards in force.
- The devices have specific application limits (min. and max. ambient temperature, mechanical endurance, protection degree, utilisation category, etc.) These limits are met by the different devices only if considered individually and not if combined with each other. For further information contact our technical department.
- The utilization implies knowledge of and compliance with following standards: EN 60204-1, EN 60947-5-1, ISO 12100, EN ISO 14119.
- Please contact our technical department for information and assistance (phone +39.0424.470.930 / e-mail tech@pizzato.com) in the following cases:
- Cases not mentioned in the present utilization requirements.
- In nuclear power stations, trains, airplanes, cars, incinerators, medical devices or any application where the safety of two or more persons depend on the correct operation of the device.

Additional requirements for safety applications

Provided that all previous requirements for the devices are fulfilled, for installations with operator protection function additional requirements must be observed.

- The utilization implies knowledge of and compliance with following standards: IEC 60204-1, IEC 60947-5-1, EN ISO 13849-1, EN 62061, EN ISO 12100.
- In emergency buttons the safety circuit must be connected to the .1-.2 NC contacts with the actuator in rest position. The auxiliary contacts NO .3-.4 must be used in signalling circuits only.
- The protection fuse (or equivalent device) must be always connected in series with the NC .1-.2 contacts of the safety circuit.
- Periodically verify the correct working of the safety devices; the periodicity of this verification is settled by the machine manufacturer based on the machine danger degree and it does not have to be less than one a year.
- After installation and before commissioning of the machine, verify:the correct operation of the device;
- the correct and full locking of the E2 1BAC•• mounting adapter;
- the correct coupling of the contact blocks.
- For the E2 •PEBZ•••• emergency buttons with key release do not leave the key inserted. A possible sudden activation of the emergency button with the key inserted could cause injuries to the operator.
- All the safety devices installed on the machine (e.g. emergency button, stop button, automatic/manual mode selector etc.) have a limited endurance. Although still functioning, after 20 years from the date of manufacture the device must be replaced completely. The date of manufacture is placed next to the product code, on the label attached to the packing. In case of particularly adverse weather conditions, the endurance of the device can be drastically reduced over time. Regularly check that the safety devices are working properly and if required, replace them, even prior to the above-mentioned expiry date.
- The device is provided with external marking on its packaging. The marking includes: Producer trademark, product code, batch number and date of manufacture. The batch's first letter refers to the month of manufacture (A=January, B=February, etc.). The second and third letters refer to the year of manufacture (19 = 2019, 20 = 2020, etc.).
- If the device is used for safety applications, inadequate installation or tampering can cause people serious injuries and even death.
- These devices must not be bypassed, removed, turned or disabled in any other way.
- If the machine where the device is installed is used for a purpose other than that specified by the producer, the device may not pro-

vide the operator with efficient protection.

- The safety category of the system comprising the safety device also depends on external devices and their connection. Check that the device is capable of performing the safety function envisaged by the risk analysis of the machine, as provided by EN ISO 13849-1.